

Bath corner chair

INSTRUCTIONS FOR USE

Code 7511-7512



CONTENTS	PAGE
1.0 INTRODUCTION	1
2.0 ILLUSTRATION OF YOUR CHAIR	2
3.0 FOR YOUR SAFETY	3
4.0 UNPACKING YOUR CHAIR	4
5.0 SETTING UP AND ADJUSTING YOUR CHAIR	5
6.0 CARE & MAINTENANCE	7
7.0 GUARANTEE & SERVICE	8
8.0 CONTINUOUS IMPROVEMENT	8
9.0 WARRANTY & AFTERSALE	9

1.0 INTRODUCTION

Thank you for choosing the Smirthwaite Bath Corner Chair.


The Bath Corner Chair is designed for children to enable them to sit upright and develop control while supported in the bath, with outstretched legs. It is suitable for children who have developed a level of trunk control but are unable to self prop or maintain a seated position. The chair encourages the child to play hands free, while facilitating development and therapy.

IMPORTANT!

These instructions should be read by all therapists and carers using the equipment and should be retained for future reference. The chair requires an assessment to establish goals and benefits as part of the users therapy programme and should always be used under professional guidance and adult supervision.

Any incorrect use of the product and failure to follow the instructions may put the user at risk or impede the function. If you have any queries using this product or wish for further copies, please do not hesitate to contact Customer Service department on T: +44 (0) 1626 835552.

2.0 ILLUSTRATION OF YOUR CHAIR



- A. Seat
- B. Telescopic back rail
- C. Lap strap
- D. Pommel

3.0 FOR YOUR SAFETY

PLEASE READ THESE INSTRUCTIONS CAREFULLY AND THOROUGHLY

- The user should **NOT** be left unattended whilst in the chair. Always ensure a responsible therapist or carer is in attendance.
- The carer should be familiar with the methods of adjustment and have completed all adjustments appropriately to meet the needs of the child before transferring the child onto the chair.
- A telescopic back rail must always be fitted before use.
- Regular maintenance checks and cleaning are essential for the safe use of this equipment (see care and maintenance section).
- Always fasten the pelvic strap and any other straps provided with the chair.
- Regularly check that straps and/or harnesses are not showing signs of tearing or fraying, and that they fasten correctly.
- **DO NOT** use with bath oils or bath salts.
- If any part is loose, damaged or functioning incorrectly, **DO NOT** use until rectified.
- Always keep this product away from naked flames, cigarettes and sources of heat including open fireplaces, radiators and heaters.
- **DO NOT** fit parts or accessories of other manufacturers to this product unless authorised to do so in writing by G&S Smirthwaite Ltd. Failure to follow these instructions will not only invalidate the guarantee but could make the chair dangerous to use. G&S Smirthwaite Ltd will not accept liability for any injury or damage incurred through such malpractices. Any repairs required must be carried out by G&S Smirthwaite Ltd authorised personnel.
- The Bath Corner Chair is CE marked. This certifies that it meets all relevant European safety requirements.
- If you believe the chair or any fitted accessory to be faulty at any time, **DO NOT USE** – contact Smirthwaite by telephone on +44 (0) 1626 835552.

4.0 UNPACKING YOUR CHAIR

- When delivered, the chair will be supplied in 3 parts; the chair, the telescopic back rail and grab rail.
- Please take note of any instructions on the packaging/box when unpacking.
- Once the chair has been carefully unpacked, please check all parts.
- If any part is loose, damaged or functioning incorrectly – do not use until rectified.

If you believe this product to be faulty **-DO NOT USE-**Contact G&S Smirthwaite Ltd on T: +44 (0) 1626 835552.

5.0 SETTING UP AND ADJUSTING YOUR CHAIR



PLEASE NOTE

WE RECOMMEND THAT THE CHAIR BE WASHED IN WARM SOAPY WATER AND THAT IT IS FULLY ADJUSTED TO FIT THE CHILD BEFORE USE.

5.1 TELESCOPIC RAILS



PLEASE NOTE

A TELESCOPIC BACK RAIL MUST ALWAYS BE FITTED TO THE BACK OF THE CHAIR FOR ADDED STRENGTH AND STABILITY.

The back rail is telescopic – it can easily be adjusted to fit most baths.

- Separate the back rail into 2 parts.
- Slide the two parts through the brackets on the rear of the chair.
- Slide the tubes back together.
- Lubricate the suction cups on the end of the back rail with mild soap and water.
- Extend the back rail to fit the sides of the bath, ensuring they are pushed firmly against the sides of the bath.
- Please check that the suction cups are firmly in position before seating a child in the chair.

A TELESCOPIC HAND/GRAB RAIL CAN BE POSITIONED IN FRONT OF THE CHAIR TO GIVE THE CHILD ADDITIONAL SUPPORT AND SAFETY.

The hand/grab rail is also telescopic – it can easily be adjusted to fit most baths.

- Place into position once the child is seated in the bath chair.
- Lubricate the suction cups on the end of the hand/grab rail with mild soap and water.
- Extend the rail to fit the sides of the bath, ensuring they are pushed firmly against the sides of the bath.

5.2 CHAIR

- Ensure the telescope back rail has been fitted as per Section 5.1 (first 4 points).
- Ensure the pelvic strap is in the correct position – additional straps can be ordered and used as chest strapping in the slots provided.
- Loosen the pommel handwheel (found under the chair).
- Position the pommel in one of the four holes provided in the chair.
- Retighten the pommel handwheel.
- Lubricate the 4 suction cups found on the underside of the chair with mild soap and water.
- Position the chair in the bath pressing down evenly and firmly to locate the suction cups to the bottom of the bath before filling the bath with water.
- Extend the back rail and firmly fit to side of bath.
- **CONFIRM** the chair is stable and secure before placing the child into the chair.

5.3 CHAIR REMOVAL

- To detach the Bath Corner Chair from the bath, lift an edge of a suction cup to release the pressure and lift the chair out of the bath.

6.0 CARE AND MAINTENANCE

! CAUTION

CLEANING IS RECOMMENDED ON A REGULAR BASIS.

- The Bath Corner Chair and suction cups should be cleaned after use with mild soap and water.
- Rinse with clean water, and dry.
- Store the chair in a cool dry place and out of direct sunlight.
- The pelvic strap and mesh pommel cover can be cleaned with a damp cloth. In cases of extreme soiling they can be machine washed at low temperature with a mild detergent, but must be drip dried.
- DO NOT use bleach, solvents, abrasives, synthetic detergents, wax polishes, antibacterial sprays or wipes.
- Always keep this product away from naked flames, cigarettes and sources of heat including open fires, radiators and heaters.
- For further information please refer to MHRA or your NHS cleaning guidelines.

6.1 DAILY CHECKS

- Check the product for loose, damaged or missing components.
- Check the pelvic strap (and any additional provided) for signs of wear and tear.
- Check the rails can be adjusted correctly, and that the suction cups firmly locate the chair in the bath.
- Keep all parts clean.

! CAUTION

THE USER SHOULD NOT BE SEATED WHILE THE CHECKS ARE CARRIED OUT.

6.2 SERVICE INTERVAL

The Bath Corner Chair should be serviced every 3 years. Servicing must only be undertaken by a Smirthwaite service engineer, or by a Smirthwaite trained representative.

7.0 GUARANTEE & SERVICE

The chair is issued with a full parts and labour guarantee for 2 years from the date of delivery. This guarantee does not apply to accidental damage caused through inappropriate use of the chair. This guarantee is issued at the discretion of G&S Smirthwaite Ltd on RTB (Return to Base) basis. If you have any questions or doubts relating to the safety or use of the chair please contact us for advice or assistance on:

T: +44 (0) 1626 835552

E: info@smirthwaite.co.uk

8.0 CONTINUOUS IMPROVEMENT

G&S Smirthwaite Ltd are committed to continuous improvement to their product range. Should you have any suggestions or comments please send them to our product design department at: info@smirthwaite.co.uk

G&S Smirthwaite Ltd reserve the right to change the specification or material without prior notice.

For catalogues, help and further information on our products please contact us at:

G&S Smirthwaite Ltd
17 Wentworth Road
Heathfield
Devon TQ12 6TL

T: +44 (0) 1626 835552

F: +44 (0) 1626 835428

E: info@smirthwaite.co.uk

W: www.smirthwaite.co.uk



G&S Smirthwaite, 17 Wentworth Road, Heathfield, Newton Abbot, Devon.TQ12 6TL
T: +44 (0) 1626 835552 F: +44 (0) 1626 835428 E: info@smirthwaite.co.uk
W: www.smirthwaite.co.uk